

Products Status:	Stock	Type:	Thermal line
Style:	Mini	Use:	Barcode Printer
Interface Type:	usb	Max Paper Size:	58MM
Black Print Speed:	90MM/SEC	Color Print Speed:	90MM/SEC
Max. Resolution:	230	Brand Name:	JP
Model Number:	JP-58H(USB), JP-58H(USB+blue tooth)	Warranty(Year):	1-Year
After-sales Service:	Others	Printing Method:	Thermal Line Printing
Resolution:	203dpi	Printing Width:	48mm / 2inch
Printing Speed:	80mm/s	led indicator light:	printer status display
Interface:	USB	Product name:	JP-58H
Paper type:	Thermal Roll Paper	Certification:	FCC, FCC, ce
Application:	Department Stores		

### Packaging & Delivery


Selling Units:	Single item
Single package size:	17X12X11 cm
Single gross weight:	1.000 kg
Package Type:	thermal pos receipt printer with paper carton

## Product Description

- \* Wireless transmission
- \* Transmission Distance: 100M/Open field  
30M/Easily through one concrete walls  
20M/Easily through two concrete walls
- \* Support most WIFI encryption and algorithm,WEP/WAP-PSK/WAP2-PSK/WAPI
- \* Support network protocol: TCP/UDP/ARP/ICMP/HTTP/DNS/DHCP
- \* Low noise, 250mm/s high speed printing
- \* Easy paper loading, without auto cutter
- \* Support paper out alarm and print promptly

Color		Black&white
Print	Printing Method	Direct Thermal Printing
	Printing Speed	Max.100mm/s
	Resolution	8 dots/mm, 384 dots/line
	Effective Printing Width	48mm
Character	Character Set	GB2312,16*16dots or 24*24dots
	Print Font	6*8dots,8*16dots,12*24dots,9*17dots.
	Character per Line	32
Paper Spec	Paper Type	Thermal paper
	Paper Width	57.5± 0.5mm
	Paper Roll Diameter	Max: 80.0mm

	Roll Core Inner Diameter	13mm(min.)
	Paper Thickness	0.06 to 0.07mm
<b>Paper Supply Method</b>		Drop-in paper load
<b>Reliability</b>	MCBF	5 million lines
	TPH	100km
<b>Barcodes</b>	125,UPC-A,UPC-C,EAN-13,EAN-8,CODE39,ITF,CODEBAR,CODE93,CODE128,CODE11.,SO	
<b>Emulation</b>		ESC/POS
<b>Driver</b>		Windows2000/XP/7/VISTA/8
<b>Drawer Port</b>		1 Port
<b>Interface</b>		RS-232, Parallel, USB, Ethernet
<b>Power Supply (Adapter)</b>		AC100 ~240V(± 10%) DC 24V, 2A
	<b>Physical</b>	
Gross Weight		1kg
Printer Dimension (WxLxH)		210 x 135x 126mm
<b>Application</b>	Restaurants, Department Stores, Kitchens, Convenience Stores, Specialty Retails, Super market	



Paper Exit

Feed Button

The State of Light

Power Light

Power Control Button

10.5cm

17cm

12cm



# GOOJPRT

